



Egyptian Neonatal Network "EGNN"



"Guide for Users"

2010





"Egyptian Neonatal Network for Training Pediatricians"

Project Consortium

Europe:

- Spain "Fundación Vasca de Innovación e Investigación Sanitarias/Cruces University Hospital" - Professor Adolf Valls-i-Soler
- Germany University of Ulm Professor Helmut. Hummler
- UK University of Liverpool Professor Michael Weindling

Egypt:

- Ain Shams University Professor Samy Shemi
- AlAzhar University Professor Safaa El-Meneza
- Alexandria University Professor AbdelHaleem Badreldin
- Mansoura University Professor Mohamed Reda Bassiouny
- Tanta University Professor Mohamed Rowisha

Project Experts:

- Hesham Fathy, MD Professor of Pediatrics, Suez canal University
- Nahed Fahmy, MD Professor of Pediatrics, Cairo University

Project Director

Mohamed Reda Bassiouny MD, MHPE - Professor of Pediatrics/Neonatology
Mansoura University

Project Co-director

Amr El Shahed, MD, Lecturer of Pediatrics – Mansoura University

Consultant Neonatologist





Egyptian Neonatal Network (EGNN)

Advisory Committee

- Professor Adolf Valls-i-Soler Spain
- Professor Helmut Hummler Germany
- Professor Michael Weindling UK
- Dr. Suzanne Farhoud Regional Adviser Child and Adolescent Health and Development - WHO/EMRO
- Dr. Vijayakumar Moses Chief, Young Child Survival and Development –YCSD UNICEF
- Dr. Magdy El-Sanady Health Specialist, UNICEF Egypt
- Prof. Ashraf Shallan President of National Research Center Egypt
- Prof. Gamal Samy President of Egyptian Society of Neonatal and Premature care – Egypt
- Prof. Maha Mourad Assistant Minister of Ministry of State for Family and Population - Egypt
- Prof. Nadia Badrawi President of Egyptian Association of Neonatology - Egypt, President of ANQAHE





EGNN "Guide for Users" Manual Prepared and Edited By

Mohamed Reda Bassiouny, MD, MHPE Professor of Pediatrics/Neonatology Mansoura University - <u>Egypt</u>

Amr El Shahed, MD, DHPE Lecturer of Pediatrics - Mansoura University Consultant Neonatologist, <u>Egypt</u>

Acknowledgment

We would like to acknowledge Vermont Oxford Network, Canadian Neonatal Network and EuroNeoNet for allowing us to use some of their materials as a guide to prepare this manual.

"This project has been funded with support from the European Commission. This publication reflects the views only of the author, and the Commission cannot be held responsible for any use which may be made of the information contained therein."





Welcome

Welcome to join Egyptian Neonatal Network (EGNN). Whether you are a site investigator, a leader or a member of your center team, you need to be familiar with the method of using the network to get the maximum benefits from it. This manual is your resource for training your center's data management staff. Anyone involved in collecting and submitting and storing data at your center should thoroughly understand how to identify eligible infants, collect and submit data and make data corrections.

Attendance of one day- training workshop is mandatory to use the network. We are pleased to have you with us in a nearby workshop. Encourage your colleague to attend. For any additional information, feel free to contact EGNN help desk. Contact details are present on the inside of back cover of this manual. Our Team is ready to help.

EGNN Management Team





Table of Contents

| Organizing Your Data Management System | 1 |
|---|----|
| Step 1: Identify all eligible infants | 1 |
| Step 2: Designate a working Team | 2 |
| Step 3: Record the Network ID Number that will be automatically | |
| given to the baby upon his registration on the Network | 4 |
| Step 4: Use Forms and Documentation | 5 |
| Step 5: Submitting Data to the EGNN | 7 |
| Step 6: Establish procedures for data security and patient | |
| Confidentiality | 9 |
| Step 7: Establish a system for filing and storing forms | 9 |
| Step 8: Train data management staff | 9 |
| Step 9: Organize a Multidisciplinary Team | 10 |
| Step 10: Getting Help | 10 |
| Step 11: Complete the Annual Hospital Membership Survey | 11 |
| Horus Reporting System (HRS) | 12 |
| References | 13 |
| Electronic Data Submission | 14 |
| Ibn-Sina Software | 15 |
| Error Checking | 17 |
| Screen Shots | 18 |
| Appendices | 39 |
| Appendix (A) 28 Day/Disaharga Farm | |
| Appendix (A) - 28 Day/Discharge Form | |
| Appendix (B) - Delivery Room Death Form | |
| Appendix (C) - Patient Log 2010 | |
| Appendix (D) - FCNN Participating Centers | |

Appendix (E) - ICD 10





Organizing Your Data Management System

Steps to Organize Your EGNN Data Management System

Step 1: Identify all eligible infants.

Step 2: Designate a working Team.

Step 3: Record the Network ID Number that will be automatically given to the

baby upon his registration on the Network.

Step 4: Use Forms and Documentation.

Step 5: Submitting Data to the EGNN.

Step 6: Establish procedures for data security and patient Confidentiality.

Step 7: Establish a system for filing and storing forms.

Step 8: Train data management staff.

Step 9: Organize a Multidisciplinary Team.

Step 10: Getting Help.

Step 11: Complete the Annual Hospital Membership Survey.

Step 1: Identify all eligible infants

Infant eligibility criteria have been established so that data from your center will be comparable to other EGNN centers. To assure that your data are useful for quality improvement, it is very important that data are collected for all eligible infants.

Eligibility Criteria for EGNN Database:

You are free to select one of the following two options according to the presence or absence of delivery facilities in your center:

A. Option A: You do not have delivery facilities:

All outborn newborn infants admitted to a Neonatal Care Unit (NCU) of your hospital
within 28 days of birth should be included regardless of birth location, their
gestational age or birth weight.

A "NCU" is any location within the hospital in which newborn infants receive medical care at any level (I, II, III).

B. Option B: You have delivery facilities:

- All inborn newborn infants born alive, who are <u>admitted to a Neonatal Care Unit</u>
 (NCU) or who die in the delivery room (at your hospital) regardless of their gestational age or birth weight.
- All outborn newborn infants admitted to the NCU of your hospital within 28 days of birth should also be included regardless of birth location, their gestational age or birth weight.





<u>Note:</u> Outborn babies admitted to NCU after the 28th day of life should not be included in the database, since by international definitions those babies are no longer "newborn" but infants

There are several critical details about the eligibility criteria that you should note. Read the following explanations carefully.

Infants who are discharged home prior to admission are also eligible. The infants for whom you report data may have gone home before being admitted to your hospital. For instance, infants discharged home from another hospital before being admitted to your hospital are eligible. The infants born at home or in transit: these infants are eligible if they arrive at your hospital alive and meet all the other criteria.

Stillborn infants are not eligible. A stillborn infant is any infant who is not live born. A live born infant is one who breathes or has any evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

All eligible Database infants who die must be included, regardless of where in your hospital they die, including the delivery room. This applies to:

 Any eligible infant who is admitted to a NCU in your hospital within 28 days of life and who dies.

<u>Note:</u> Infants who never received care in a NCU, and who would therefore not have been included in the database, must be reported if they die within the first 28 days of life. This includes full-term infants and infants who are not in the very low birth weight category.

Step 2: Designate A Working Team:

The Team Leader (Site Investigator):

- He/she is the person at your center who assumes ultimate responsibility for leading and coordinating the activities involved in participating in the Network. Selecting the right person for this job will help ensure that your center's participation in the Network runs smoothly.
- The Team Leader is responsible for:
 - A. Supervising all EGNN Database activities at your center.
 - B. Establishing procedures for data collection and submission, and monitoring their implementation.
 - C. Developing an Eligibility Verification Plan and monitoring its implementation.
 - D. Overseeing training.





- E. Supervising the data collection and submission tasks.
- F. Determining data submission schedules.
- G. Verifying that all eligible infants are included.
- H. Verifying that the data conform to all the definitions and conventions of the database.

The Team Members: (at least two members, one of them may or may not be site investigator) For two separated tasks:

A. Task A:

- 1. Follow all patients admitted in the center and identify all eligible infants according to his center chosen option (A or B).
- 2. Register these infants in the Patients Logs (See Appendices)
- 3. After completion of a page (contain 10 patients) in the patient log, he will cut the original page (at the mark) and send it to EGNN by scanned mail, Fax. And keep these detached parts in sequence safely in special Folder for later quality checks.

<u>Note:</u> Patient Log is a register of 50 (original and carbon copy) pages. Each page can fit 10 patients. The pages are numbered serially (from 1-50). It is not allowed to detach one page. This is important for secure check up and monitoring. EGNN team at DMC will match the sent forms with the patients' data entered electronically.

B. Task B:

a) Task B, a: (Data Entry using Hard Copy Form):

- Each identifiable eligible baby data will be entered in the appropriate hard copy
 Forms (Delivery Room Death form or 28 Day/Discharge Form) using the data from
 patient hospital file
- 2. The team member who performs this task (Task A) should write his name on the completed form and date of completion.

Note: The team member whose perform this task should not perform Task A.

b) Task B, b: (Electronic Data Entry using)


- 1. Using the completed hard copy form (Task B a), this team member will go to submit the data on the EGNN web site using the designated password.
- 2. The team member who performs this task (Task B b) should write his name on the completed form and date of electronic data submission.
- 3. Keep the submitted signed forms in a special folder for future data check up, correction or monitoring.

<u>Note:</u> Your center may decide to include additional staff to collect, submit, and maintain the data. We recommend that you develop an internal plan detailing the roles of the various members of your team and their access to the data.





EGNN Work Flow Chart



Step 3: Record the Network ID Number that will be automatically given to the baby upon his registration on the Network

The assigned Network ID Number is the unique infant identifier for all EGNN data submissions. You can also use the Network ID to re-identify specific patient records. The Network ID is the only piece of information that links a specific infant in the Network databases with infant's identifying information that you retain at your center. Only your center will look at two numbers: The Network ID and Patient Medical Record Number at your Hospital in addition to personal patient identifiers (such as the patient's name). For security only the Network ID will appear at the coordinating center and to the network administrators. You can use it to associate data you've reported to the Network with the patient's records in your local system. This is important when you need to reexamine a patient's records to make corrections to the data you've submitted, as well as for data audits, quality improvement activities and peer reviews.

Note: A different Network ID Number will be assigned to every baby in multiple birth.





Step 4: Use Forms and Documentation

Completing the Logs

There are two confidential logs to facilitate tracking of eligible infants and their disposition status, as well as to provide a record of data submission. All eligible infants should be noted in the Patient Log. Eligible infants who transfer to other hospitals before being discharged home should be entered into the Transfer Log.

<u>Note:</u> Do not submit Patient or Transfer Logs to the Network. These logs contain personal patient identifiers and must be treated as protected health care information. EGNN does not accept protected health care information. However, there is a part in the original form of each log that does not contain patient's identifier when detached. This detached part should be sent to EGNN.

Patient Log

Enter data into the Patient Log (See Appendices) for each eligible infant. This will allow you to cross check the Network ID Number with the patient name for data integrity.

The Importance of Patient Log:

It provides a link between the data in your local system and the data you have submitted to the EGNN. Because this log contains both patient identifiers, such as the infant's name and medical record number, and an anonymous Network ID that has been assigned to that infant, it allows you to associate a specific infant's records in your local system with the data about that infant that you have reported to the Network. This is important when you need to make corrections to the data you have submitted, as well as for data audits and peer reviews.

Use the Patient Log to record the assigned Network ID for each infant, to document and track the submission of the necessary data forms and to re-identify infants you have reported to the Network. Consult it when you enter data on a form for a particular patient. By cross-checking the Network ID you have entered on the log against the Network ID on each form, you can reduce the chance of reporting data for the wrong infant.

Guidelines for Completing the Patient Log

- Before you enter data in the Patient Log, establish the infant's eligibility for inclusion in the EGNN database (described in Step 1).
- Enter the name of your Center at the top of the Patient Log.
- Enter the Network ID Number for the patient. Network ID Numbers are assigned
 when you start to register patient data on the website. It is a randomly given number
 and unique for each new patient. Different Network ID Numbers will be assigned to
 each eligible infant in multiple births.





- Enter the patient's name in Arabic, medical record number, and birth date. With this
 information you will be able to accurately match the patient with the data submitted
 to EGNN.
- In the column labeled "**DR Death**?", enter Yes or No to indicate whether the infant meets the delivery room death criteria (**described in Step 1**). Records for infants who die in the delivery room or initial resuscitation area within 12 hours are submitted on the "Delivery Room Death" Form.
- Enter the Patient's Birth Location. If outborn, enter the date that the infant was admitted to your hospital and name of the hospital from which the infant was transferred.
- Data submitted for outborn infants must include events that occurred at the hospital from which transferred, unless the item definition only asks whether the event occurred at your hospital.
- Enter the infant's Initial Disposition (Home, Transfer, Died or Still Hospitalized as of First Birthday) and the date of Initial Disposition. This column indicates the infant's status when first discharged from your center. EGNN data collection ends at the infant's first birthday if the infant is still hospitalized and has not been discharged home.
- If the infant was transferred to another hospital without first having gone home, enter the name of the hospital to which the infant transferred.
- Enter the date when your center submitted the patient record to EGNN. Submitting
 data for all eligible infants helps assure accurate reporting of your center data and for
 the Network database as a whole. This information will help track which infant
 records have not been submitted to the Network.

Note: Look for Transfer Log on EGNN web site





Step 5: Submitting Data to the EGNN

In order to provide accurate indicators of your hospital's performance, it is important that your hospital must submit <u>complete and correct data</u>. This in turn requires that your staff understand the data item definitions in Dataset Definition Manual, identify all eligible infants and record accurately all procedures and events.

Records and Data Items

The data in the Network's databases are organized into individual infant records, and each record includes all the data items on the various data forms: 28 Day/Discharge Form and Delivery Room Death Form. Each record is uniquely identified by infant's Network ID Number, which was assigned when you start to enter patient data on the website.

A data item contains a single piece of information within a record. Each data item is identified by a number and a name. For instance, ITEM 1 is Birth Weight and is on the 28 Day/Discharge Form. Some form numbers include multiple data items. For instance, the Initial Resuscitation Item includes five data items.

Data items that do not apply are coded as "Not Applicable" or N/A in the databases. For example, for infants who meet the delivery room death criteria (**described in Step 1**), only items on the Delivery Room Death Form are applicable.

How to Submit Data

EGNN allows submission of data <u>only electronically</u> through EGNN website. You must have a connection to the internet.

First collect data on paper forms and then use the paper forms as a basis for data entry. This will allow you to double-check data before submission and also provide backup data in case you have problems with your computer. Do not submit the paper forms to the EGNN. Electronically submit data records to the Network at least every 2 weeks and more often when requested.

General Guidelines for Completing and Submitting Data Forms

- Collect and submit data for eligible infants only.
- Use the patient logs to keep track of patients and data submissions.
- Do not submit the patient logs to the Network. These include personal patient identifiers and must be retained at your hospital.
- For each eligible infant, complete the data forms that are applicable. When completing the data forms, understand and carefully apply the data definitions writte





- in Data Set Definitions Manual for items on the data forms. This will assure that data submitted by your hospital are comparable to other hospitals in the Network.
- Code data items as "Unknown" only if the answer to an item is truly unknown and cannot be obtained. Do not code items as unknown to indicate temporary or pending values. Leave these items blank until an answer is known.
- To encourage data accuracy and completion, complete data forms while the infant is about to be discharged.
- When completing the data forms for eligible outborn infants who transferred to your hospital, record events that occurred in the transferring hospital as well as at your own hospital after admission. For example, if an infant received Indomethacin at the transferring hospital, answer this data item "Yes" on the Discharge Form. If the infant had a cranial ultrasound exam at the transferring hospital, answer this item "Yes" on the 28 Day/Discharge Form and record the worst grade of PIH.
- For eligible inborn infants who meet the delivery room death criteria described use the Delivery Room Death Form rather than the 28Day/Discharge Form. Complete the 28 Day/Discharge Form for all other eligible infants (See Appendices). For infants who transfer from your hospital to another hospital, follow the guidelines that will be displayed on EGNN web site.

Completing the 28 Day/Discharge Form

- Data on the 28 Day/Discharge Form (See Appendices) must be submitted for each eligible infant who does not meet the Delivery Room Death Criteria. This form does not contain personal patient identifiers. However, you can register Hospital Medical Record number as you will not send these forms to EGNN.
- Use the definitions in Dataset Definitions Manual when recording data on the 28 Day/Discharge Form. For database integrity and accuracy of reporting, assure that the data item definitions are understood and uniformly applied by staff members who are recording these data.

Completing the Delivery Room Death Form

- For eligible infants who meet the delivery room death criteria, the only data items that are applicable are those on the Delivery Room Death Form (See Appendices)
- If your center has deliveries and chooses to participate in Delivery Room Death Database this Delivery Room Death Form must be completed.
- The Delivery Room Death Form includes items from the 28 Day/ Discharge Form
 that are applicable to infants who meet these criteria. All of these items must be
 submitted for eligible infants who meet the delivery room death criteria.





Step 6: Establish Procedures for Data Security and Patient Confidentiality

As a member of the EGNN, your center is responsible for protecting patient privacy and for ensuring that patient data are secure. Patient Logs and Transfer Logs contain personal patient identifiers and are considered to be protected health care information. Do not send any forms contain personal patient identifying information to the EGNN.

Step 7: Establish a System for Filing and Storing Forms

To ensure the integrity of the data you submit, it is important to keep all original forms for each infant together. If infants transfer from your center to another hospital, the Transfer and Readmission Form should be kept with the other forms in special Folder.

It is the responsibility of each participating center to maintain and store all logs, and forms to ensure that patient privacy and data security requirements are met.

In addition, EGNN data entry programs automatically cross-check records to prevent duplication and to help ensure that the correct data are being reported for each infant. Of course, it is still critical to double-check any data you enter against patient logs and other data sources. Remember that errors can still be created during the data entry process.

Step 8: Train Data Management Staff

All staff members who are involved in data collection, submission, and maintenance should be thoroughly familiar with:

- The purposes of the database
- The eligibility criteria for patients
- The data definitions—the information required for each data item
- Procedures for collecting and submitting data
- · Procedures for filing and storing forms

This manual is your resource for training your center's data management staff. Anyone involved in collecting and submitting data at your center should thoroughly understand how to identify eligible infants, collect and submit data and make data corrections.





Step 9: Organize a Multidisciplinary Team

To get maximum benefits from the EGNN membership, your center should establish a multidisciplinary team to review the Network's reports. The team's goal is to help direct your center's local quality improvement efforts using the comprehensive performance data provided by the Network.

The team may include doctors, nurses, pharmacists and any other health professionals involved in neonatal care at your center. The team should use the comparative data and the analyses of interventions and outcomes provided by the reports to target specific clinical practices and identify opportunities for improvement. The team should also track change, monitoring the effect of your center's quality improvement interventions over time.

We recommend that you develop an internal system for sharing the data from reports and the Horus Reporting System with the multidisciplinary team. The reports contain sensitive data, including data on morbidity, mortality and length of stay at your hospital. It is important to protect the confidentiality of this information, while at the same time making the most effective use of it to advance your center's quality improvement projects.

EGNN will provide training courses to help your team to perform these tasks. Encourage your staff to register for these courses. If you need help with any aspect of organizing your system or managing your data, do not hesitate to contact helpdesk at EGNN.

Step 10: Getting Help

When your center becomes a member of the EGNN, A password will be given to the site investigator to enter the Member site. You can ask for help by:

Using the internal mailing system:

You can send a message to get help from the Data Management Center (DMC) if you have any problems concerning data definitions or submission. The team in DMC will help to answer any questions and assist you about collecting, recording, or submitting data and will support your center in achieving complete and accurate data reporting.

Contact EGNN Helpdesk: (<u>Mobile</u>: 0101511138).

Getting copies of the EGNN forms:

You can copy them from this manual "Appendices A & B". They are also available on the EGNN web site at (Member Tools/Downloads).





Step 11: Complete the Annual Hospital Membership Survey

At the beginning of each year, the Annual Hospital Membership Survey will be sent to you and should be completed based on your hospital characteristics as of the previous year. For example, in early 2010 you will receive the Membership Survey for 2009. Data from the membership surveys are summarized and reported in the Annual Quality Management Reports. These reports allow you to compare characteristics and capabilities at your hospital to other hospitals in the Network. Reports are also generated using survey data which allow you to compare infant procedures and outcomes to other hospitals with your "NCU Type". Classification of NCUs will be announced on the website and sent to you with the annual report.





Horus Reporting System (HRS)



The Network's Internet "Horus Reporting System" is available to all members who have signed the applicable membership agreement. This online reporting system significantly extends the availability of neonatal care and outcome data for Network members and provides near real time information for quality improvement initiatives.

Horus provides reports for members via the Internet. HRS allows users to access historical and up-to-date information on infant care and outcomes. System access is controlled by administrators appointed by the member center, Access to your center's data on the Horus system is controlled by Web Services Administrators appointed by your center.

The features of the HRS include:

- The following infant populations are reported on HRS. You can view your center data and Network or group comparison data for each of these populations.
 - o Infants with different birth weights.
 - Infants with different gestational ages.
 - o All eligible Database infants.
- Users can select to view the results in graph and/or table format. Once displayed, users may download tables and graphs as PDF documents and save or print them.
- Risk adjusted outcomes and other summary information for a specific year are available in a center summary PDF document, which may be downloaded and printed.

From a clinical category such as Infection, users can choose a specific type of infection and view results by:

- Birth year,
- · Birth weight category,
- · Gestational age category or
- · Birth location.





At the category level, overall results for related measures can be viewed and compared to Network results or results for centers in the member center's NCU Type. If your center participates in a group of hospitals, you can also compare your center performance to that of the group as a whole. From the measure level, the user can view results within the clinical grouping of interest (e.g., birth weight or gestational age category), then drill down to the infant level to identify specific cases with the infection.

Year-to-Date reports on Horus are similar to the quarterly reports distributed to members. HRS users can view up-to-date information on all collected data items for the current birth year and prior years.

Site investigators can download their center's infant data as an *Excel spreadsheet* for any studied years.

- Data collected from the Annual Membership Survey is tabulated and available for comparison with the Network and the member center's NCU Type.
- Members can provide online feedback and suggest improvements to the HRS using the internal message system of Ibn-Sina software.

Note: Validation of the submitted data will be executed at Data Management Center. The validation process will take some time. This delay will be reflected on some difference that will be found between the reports extracted from HRS and those sent periodically from EGNN.

References

- 1. Canadian Neonatal Network Database (2010)
- 2. EuroNeoNet 2010 Perinatal Dataset Manual
- Vermont Oxford Network Database, Manual of Operations For Infants Born in 2010, Release 14.0







"Electronic Data Submission"

Introduction

Egyptian Neonatal Network uses two software programs to accomplish its functions:

- Ibn-Sina Software
- Horus Reporting System

Ibn-Sina Software

The *Ibn-Sina* software allows electronic data entry and secure submission of deidentified data files via the Internet. With a simple, menu-driven user interface, the software supports EGNN Database.

The *Ibn-Sina* software can also accommodate "Neonatal Registry" for any planned approved research.

The Ibn-Sina software supports:

- Secure application login.
- Administrator control of user access.
- Extensive range and error checking.
- Internal message center to communicate with DMC Staff.
- Multiple search criteria for finding and viewing records.
- On-line help to include all data item definitions (*Download Dataset Definition Manual*).

For additional information about *Ibn-Sina software*, go online to www.egynewborn.net and select Ibn-Sina Software under "Member Tools and Downloads".

To learn how you can use the network, download this manual from "Member Tools and Downloads".

Using Ibn-Sina Software

Creating a new EGNN case:

- 1) Go to EGNN Data Entry; Click the small arrow for new case
- 2) Enter the network record number and admission date/time.
- 3) User enters admission info in the admission screen that opens up
- 4) Browse through the screens using the left navigation menu (History, Diagnosis, Discharge, and End Case).

<u>Note:</u> Each yellow screen corresponds to a large *black bordered box* on the hard copy forms, (Death in Delivery Room form OR 28 Days/Discharge form).

5) For each screen (e.g. History) number of black colored items appears on the top, Click on "admission data" and enters the information required for the items in the yellow screen. All the starred items must be completed then the "save" button appears at the bottom of the screen. Click the "save" button, now your screen was saved and the "admission data" color changes to red. The "save" button will be replaced by the "Edit" button. You are still able to change data if needed by clicking the "Edit" button.

Note: The "save" button will not change to the "Edit" button unless you complete all the starred items correctly and respond to validation small popup screens that appear beside the incorrect data.

- 6) Now you can move to the next screen by clicking "maternal data" and follow the same steps
- 7) Once you have finished all screens under (**History**), you can click the left navigation menu (**Diagnosis** or **Discharge**) and follow the same procedures to complete the data in the yellow screens that appear under any of them.
- 8) If you click the (End Case) button and save its data, the patient will disappear from the screen when you close it. Now the patient is transferred to patient records where you can retrieve his/her data, however, you cannot do any changes in it as it is a locked file.

<u>Note:</u> If you want to unlock patient's file, you need to contact the DMC. If you select "follow up" from (End Case), the locked file can also be retrieved, but not changed, from the [Neonatal Follow up Program] screen.

Searching and updating existing cases that have been discharged after 28 days and/or readmitted before 28 days:

- 1) Go to the search panel, enter the search criteria (Patient Network Number, or Name) and click Search.
- 2) Select the record you want to update by double-clicking on the row in the patient list search results box.
- 3) Update the fields as required on the "admission screen" that opened up.
- 4) Browse to any of the other screens to do any updates required.
- 5) If the update for the current case is done, click the "save" button.
- 6) You can also select another case to update in the patient list search results box or perform a new search. A readmission will appear as *a second visit* in the patient data file.

Error Checking Computer data checks

The computer program has several error checking systems in place. At a primary level, the program performs error checks during data entry, to help ensure accurate data capture. For instance, there are checks for reasonableness".

For example, if you entered '11' as a value for Apgar Score, the computer will generate an error message "The *one minute Apgar score* must be between 1 and 10 or equal to 99" prompting you that this is not a valid entry, and will require you to change this value before proceeding to the next screen.

At a secondary level, once you have completed an entire patient file and wish to submit your data a final error check (validation) will be run.

A third error check occurs after your data has been submitted to the DMC, in which you may be contacted by the EGNN Staff to confirm any unusual entries. If you enter something unusual, please write an explanation in the "Notes" section of the 28day/Discharge Form hard copy to save the time of rechecking the chart.

You can use internal mailing system to send your message to DMC Staff. If you receive an error message that is not self-explanatory, contact the DMC for advice.

Abstractor checks

Some data items are not easily checked by the program. It is crucial that everything you enter into patient's file makes sense to you. If it doesn't, please ask questions of the NCU staff to protect the data integrity. In addition, please read through each data screen before closing it to make sure you have filled in all the information correctly.

Abstractor organization

It is important for data abstractors to be organized to help alleviate errors and missed or overlooked data. In order for the DMC to determine the difference between missing data that is unavailable from the chart versus data that may simply have been overlooked by the abstractor it is crucial that the abstractor enter appropriate values.

Whenever possible, a blank space should be left any time a data field cannot be completed because the information is not directly noted or cannot be inferred from information anywhere in the patient's complete file.

Abstractors are also advised to keep a separate excel file to keep track of which patient records are complete (*following discharge*) and which records are still missing information and need to be followed up on. The excel file can also be a way to record which infants have had name changes in order to avoid confusion or duplicate entries.

Note: When babies are transferred to other hospitals it is the responsibility of the first hospital's Staff to provide the UI to subsequent hospital's data abstractor in a timely fashion (within 3 weeks of transfer to a subsequent facility) so that information on a patient can be linked appropriately.

Please look at the following screen shots and explanation before seeking advice from DMC.

SCREEN 1: ADMISSION SCREEN DEFINITIONS

| | System users today | | |
|---|------------------------------------|------|--|
| User Name : User11 - NICU | Change Password | Exit | |
| Available subsystems : 1 - EGNN Data Entry | 2 - EGNN " HORUS Reporting System" | | |

Note: The bar shows:

- User Name
- · You can change your password
- "Exit" button: Click to Exit


To enter patient data, Click "EGNN Data Entry"
To generate your NCU report, Click "Horus Reporting System"

 $\underline{\textit{Note:}}$ "Horus Reporting System" link may not appear to some EGNN users. This depends on the user's rights that were given by EGNN administrators.

To enter patient data, Click "EGNN Data Entry"

This screen will appear:

SCREEN 2: ADMISSION SCREEN DEFINITIONS



You can send a mail message or read your internal mail (between you and DMC Staff). This internal mail does not allow message exchange between participating centers.

Click "Examining Patients"

This screen will appear:





Click +"NICU"

This screen will appear:




Click the right mouse button





- You can search for the patient by its name or Network number. If there is no match, enter him/her as new patient. Otherwise, you can enter him as new visit.
- Fill data in the following screen. Although both names of patient and mother, address
 and city can be written in Arabic and English, please use the Arabic language. This is the
 only screen that accepts both languages. English will be used in all remaining screens.




Click "History" on the left sided menu. The following 4 screens can be displayed




History SCREEN (1)

Admission Data Maternal Data Delivery Room Data Respiratory support after leaving delivery room




If the birth date is the same day of admission, admission data (Weight, Length and Head Circ.) will be automatically taken from admission data. If not the same, you need to enter them.



History SCREEN (2)


Admission Data Maternal Data Delivery Room Data Respiratory support after leaving delivery room





History SCREEN (3)


Admission Data Maternal Data Delivery Room Data Respiratory support after leaving delivery room





History SCREEN (4)

Admission Data Maternal Data Delivery Room Data Respiratory support after leaving delivery room




Click "Discharge" on the left sided menu. The following 4 screens can be displayed



Discharge SCREEN (1)


<u>Discharge physician and date</u> <u>Case Progress Death Procedures, Surgery Major Birth Defects Situation at discharge</u>






Discharge SCREEN (2)


<u>Discharge: physician and date Case Progress</u> <u>Death</u> <u>Procedures, Surgery</u> <u>Major Birth Defects</u> <u>Situation at discharge</u>






Note: Text appears in black color means it will not be displayed on the screen unless the answer of its preceding relevant item is positive. *Example:* In the above screen the details of First and second episodes of sepsis appear because the preceding answers of their presence are "Yes". This is not the case when answer of the third episode is "No".

In any selection box where there is a scrolling arrow you can select or deselect one or more item by holding "ctrl" Key



Discharge SCREEN (3)

<u>Discharge physician and date Case Progress Death Procedures, Surgery Major Birth Defects Situation at discharge</u>




Note: Text appears in black color means it will not be displayed on the screen unless the answer of its preceding relevant item is positive. *Example:* In the above screen the details of Death will not appear if the answer to "**Death**" is "**No**". This is not the case when answer is "**Yes**". In any selection box where there is a scrolling arrow you can select or deselect one or more item by holding "**ctrl**" Key. A box will appear when "**Others**" is selected and you can enter free text.




Discharge SCREEN (4)


<u>Discharge physician and date Case Progress Death Procedures, Surgery Major Birth Defects Situation at discharge</u>








Note: In any selection box where there is a scrolling arrow you can select or deselect one or more item by holding "ctrl" Key. A box will appear when "Others" is selected and you can enter free text.



Discharge SCREEN (5)


<u>Discharge physician and date Case Progress Death Procedures, Surgery Major Birth Defects Situation at discharge</u>






Discharge SCREEN (6)

Discharge physician and date Case Progress Death Procedures, Surgery Major Birth Defects Situation at discharge






Click "Diagnosis" on the left sided menu. The following screen will be displayed




DIAGNOSIS SCREEN



- You can choose final or provisional Diagnosis
- You can scroll to choose from previously entered diagnosis (arranged alphabetically)
- You can search ICD10



End Case SCREEN



Note: This is the last screen. You select how you end the case:

- "Discharge" alive and not directed to any "Neonatal Follow up program"
- "Transfer to other hospital" you need to enter Hospital name as Free text in the box that appears.
- "for Follow up" program if baby is directed to any "Neonatal Follow up program"
- "Dead" if the baby is discharged dead

Once you click "save" the patient name will disappear when you leave this screen. Now you can retrieve patient data only if you click "Pateint Medical Records" in the top left corner of the screen. It is locked data that can be read only. To change any data you need to contact DMC staff.



Finally, you can download any selected medical data by exporting it to Excel file format.

Appendices

Appendix (A) - 28 Day/Discharge Form

Appendix (B) - Delivery Room Death Form

Appendix (C) - Patient Log 2010

Appendix (D) - EGNN Participating Centers

Appendix (E) - ICD 10

Appendix (A)

Ventose

| Forceps |

Spontaneous

Vaginal □

Cesarean Section

Nº Order

Nº of fetuses

Yes 🗆

No 🗆

18. Multiple Birth

Dexamethasone

Hydrocortisone

Betamethasone

Unknown

Yes Yes

No No

15. Prenatal Care

16. Antenatal Steroids 17. Mode of Delivery

14. Number of living Children:

11. Maternal Age: ___ years

10. Maternal Hospital ID

13. Parity:

12. Gravidity:

Form Number: 04

(24:00 h based)

Fime of birth: Center Name:

Date of birth (DD/MM/YYYY):

Network ID:

cm

4. Head Circumference:

Unknown

Female

Male 🗆

5. Sex of infant

CIII

3. Length

2. Birth Weight

weeks and days (0-6)

. Gestational Age

8. Transferred from

□ Outborn No

7. Location of Birth | | Inborn

Died in Delivery Room

Yes 🗆

Date and time of admission to the NICU (DD/MM/YYYY):





Form Number: 04

| Description Description 1.000 | Description | | | | | |
|--|-----------------------------|--------------------------------|----------|------------|-----------|-------------------|
| Situation at discharge (a) O ₂ at discharge (b) Apnea or Cardio-Respiratory Monitor at discharge (c) Enteral feeding of discharge (c) Human milk only (c) Human milk + (Fortifier or formula) (c) Human milk + (Fortifier or formula) (d) Caransferred to another hospital Died Name: Date of disposition (MM/DD/YYYY) (d) A See Leng (d) A See Caransferrence at disposition (d) B See Caransferrence at disposition (d) B See Caransferrence at disposition (d) B See Caransferrence at disposition (d) Caransferrence at disposition (e) Caransferrence at disposition (d) Caransferrence at disposition (e) Caransferrence at disposition (d) Caransferrence at disposition (d) Caransferrence at disposition (e) Caransferrence at disposition (d) Caransferrence at disposition (d) Caransferrence at disposition (e) Caransferrence at disposition (d) Caransferrence at disposition (e) Caransferrence at disposition (d) Caransferrence at disposition (e) Caransferrence at | Combine | | | CODE | | ICD10CM |
| Situation at discharge Do at discharge Apnea or Cardio-Respiratory Monitor at discharge Butteral feeding of discharge a. Human milk only b. Formula only c. Human milk + (Fortifier or formula) Transferred to another hospital Transferred to another hospital Date of disposition (MM/DD/YYYY) Weight at disposition (MM/DD/YYYYY) Weight at disposition Butteral CED10): Butteral CED10): Butteral CED10): Company | | | | | | |
| Situation at discharge Do 2 at discharge Apnea or Cardio-Respiratory Monitor at discharge Butteral feeding of discharge a. Human milk only b. Formula only c. Human milk + (Fortifier or formula) Transferred to another hospital Date of disposition (MM/DD/YYYY) Weight at disposition (MM/DD/YYYYY) Weight at disposition (MM/DD/YYYYY) Weight at disposition (MM/DD/YYYYY) Weight at disposition (MM/DD/YYYYY) Biagnosis (ICD10): Con Diagnosis (ICD10): Con Con Con Con Con Con Con Co | | | | | | |
| Situation at discharge 1) O ₂ at discharge 2) Apnea or Cardio-Respiratory Monitor at discharge 3. Human milk only 4. Formula only 5. Human milk + (Fortifier or formula) 6. Human milk + (Fortifier or formula) 7. Initial Disposition 7. Home 7. Date of disposition (MM/DD/YYYY) 7. Weight at disposition (MM/DD/YYYYY) 7. Weight at disposition 7. Initial Disposition 8. So. Leng 9. So. Leng | | | | | | |
| Situation at discharge Date of Cardio-Respiratory Monitor at discharge a. Human milk only b. Formula only c. Human milk + (Fortifier or formula) Transferred to another hospital Date of disposition Weight at disposition Weight at disposition Ballonia Head circumference at disposition Date of only Weight at disposition Date of disposition Weight at disposition One One One One One One One O | | | | | | |
| espiratory Monitor at discharge lischarge man milk only man milk + (Fortifier or formula) Died Died Name: g. 66. Leng t disposition d) f) | Situation at discha | rge | | | | |
| io-Respiratory Monitor at discharge g of discharge Human milk only Formula only Human milk + (Fortifier or formula) Died Died Name: ion B. 56. Leng E. at disposition C at disposition C at disposition B. 6 | O ₂ at discharge | | | No 🗆 | Yes | |
| Human milk only Formula only Human milk + (Fortifier or formula) Human milk + (Fortifier or formula) Died In Die | | o-Respiratory Monitor at disch | arge | No 🗆 | Yes 🗆 | |
| Human milk only Formula only Human milk + (Fortifier or formula) Inother hospital Ition (MM/DD/YYYY) Ition (MM/DD/YYYYY) Ition B. 56. Leng E. d) E. e) O | | of discharge | | No 🗆 | Yes 🗆 | |
| Formula only Human milk + (Fortifier or formula) Inother hospital Ition (MM/DD/YYYY) Ition (MM/DD/YYYYY) Ition g. S6. Leng TE at disposition E at disposition C at di | ë. | Human milk only | | No | Yes | |
| Human milk + (Fortifier or formula) Died | b. | | | No | Yes | Name: |
| unother hospital Died Name: tion (MM/DD/YYYY) / ion g. 66. Leng ce at disposition cm e) b. e) c. at disposition f) | ú | | rmula) | No | Yes | Name: |
| YY)/ | Initial Disposition | | | | | |
| (X,X) | Ноте | Died | | Still hosp | pitalized | of first birthday |
| c cm | Transferred to a | nother hospital | Name: | | | |
| | Date of disposit | ion (MM/DD/YYYY) | - | | | |
| cm cm | Weight at dispositi | | 56. Leng | rth at dis | position | . cm. |
| sis (ICD10): | Head circumferen | | - | | | |
| 59. Notes: | b) | | 900 | | | |
| | Notes: | | | | | |
| Completed □ at: / / by Dr. Electronically entered □ at: / | | | | Electron | ically en | tered at: / / |

Contact Help Desk at: dmc@egynewborn.net Mobile: 010 15 111 38

www.egynewborn.net PO Box 35, Post Code 25516,

Contact Help Desk at: dmc@egynewborn.net Mobile: 010 15 111 38

www.egynewborn.net PO Box 35, Post Code 25516, Mansoura, Egypt

Unknown

Yes 🗆 Yes

d. Medication (Epinephrine, NaHCO3, Naloxone, Volume Expander)

Endotracheal Intubation

ů,

b. Bag/Mask

a. Oxygen

Unknown Unknown Unknown

Yes

No

20. Delivery Room (or Initial) Resuscitation

Apgar 5 min

19. Apgar Imin

Yes 🗆 Yes

No 🗆 No No No Unknown

Yes Yes

No No

N/A

f. Endotracheal meconium suction 21. Surfactant in the delivery room

e. Cardiac compression

Unknown

Unknown

Egyptian Neonatal Network 28 Day/Discharge Form

Appendix (A)



1

1

Egyptian Neonatal Network 28 Day/Discharge Form

Form Number: 04

| CAPAP | No Yes No Yes Ves Ves | 36. Cys | | 35. Per | 33. NEC | 31. RDS | | d) | c | b) | a) | 30. Sur | 29. Ind | 28. Ind | 27. Ste | 26. O2: | 25. O2 | Surfac | Surfact | Surfac | | | 24. Sur | 23. Dui | e. | c. | ь. | a. |
|---|---|-------------------------|--------|-----------------------|-------------|-----------|--------------|---------------------|-------------|-------------|--------------|--------------------|---------------------|---------------------|---------------|----------------------|-----------|---------------------------------|-------------------------------|-------------------|-------------|--------------|------------------------|----------------------|----------------------|----------------------|--------------|--------|
| Ces, NCPAP before ETT ventilation 1 | No Yes No Yes | stic periventricular le | | i-Intraventricular He | No 🗆 | | If yes, Spec | Other major surger, | NEC surgery | ROP surgery | PDA ligation | gery (common prema | omethacin/Ibuprofen | omethacin/Ibuprofen | roids for CLD | at 36 weeks adjusted | on day 28 | tant 3 rd dose: _/_/ | tant 2 nd dose: // | tant 1st dose: // | Date: | | factant at any time ra | ation of ventilation | High flow nasal cann | Conventional Ventila | NCPAP | Oxygen |
| Ves. NCPAP before ETT ventilation 1 | No Yes No Yes | ıkomalacia | Yes | morrhage, | | | ify | (Except N | | | | ture surge | for PDA (| for PDA (| | gestational | | | I | | Tin | If 24 is y | ther than i | 1 | | 17-24 | No | ONT |
| Ces, NCPAP before ETT ventilation 1 | No Yes No Yes | 5 | | (cranial ul | ocal gastro | | | EC, PDA | | | | ry) | Therapeuti | Prophylact | | age | | | | | ne (24:00): | es: Surfact: | n delivery | Parti | | | | - |
| Unk V) No | Unknown Vo Vo Vo Vo Vo Vo Vo V | | | trasound | ointestinal | 2. Pneumo | | and ROP) | | | | | c) | ic) | | | | | | | | ant timing | room | al or comp | f. | d. | | |
| Unk Vi No Ves Ves | Unknown V V No V | No 🗆 | | done befo | perforati | thorax | | | | | | | | | | | | | ĺ | 1 | Dos | and dosing | No 🗆 | lete days | Nasal (IM | AHH | NCPAP before | |
| | No Y No No | Yes | Grades | re day 28) | on | The same | | No 🗆 | No 🗆 | No 🗆 | No 🗆 | | No 🗆 | No 🗆 | No 🗆 | No 🗆 | No 🗆 | mg | mg | mg | e: | J. | | | V or SIM | | ore ETT ver | |
| | | | (0-4) | | No 🗆 | No 🗆 | | Yes 🗆 | Yes 🗆 | Yes 🗆 | Yes 🗆 | | Yes 🗆 | Yes 🗆 | Yes 🗆 | Yes 🗆 | Yes 🗆 | | | | | | Unk | | 152 | No | | |



Egyptian Neonatal Network 28 Day/Discharge Form

Form Number: 04

| 51. Therapeutic efforts limited? | | . Autopsy performed |). Autopsy performed | | 49. Cause of death: | | 48. Date of death in days (DD/MM/YYYY) | 47. Death | Exchange Transfusion | UVC 🗆 | 46. Procedures | a) Phototherapy No 🗆 | 45. Jaundice interventions | 44. Jaundice No 🗆 | c) Plus Disease No 🗆 | b) ROP No 🗆 | a) Retinal exam No 🗆 | 43. Retinopathy of Prematurity (ROP) | 42. Patent Ductus Arteriosus (PDA) | 3 rd episode - | 2 nd episode - | 1 st episode - | 41. Sepsis and/or meningitis, late (after day 3) | 40. Early bacterial sepsis and/or meningitis (<day 3)<="" th=""><th>39. Seizures</th><th>38. Meconium Aspiration Syndrome (MAS)</th><th>57. Hypoxic Ischemic Encephalopathy (HIE)</th></day> | 39. Seizures | 38. Meconium Aspiration Syndrome (MAS) | 57. Hypoxic Ischemic Encephalopathy (HIE) |
|----------------------------------|-------|---------------------|----------------------|-------------------------|---------------------|-----------|--|-----------------|----------------------|-------|----------------------|----------------------|----------------------------|-------------------|----------------------|-------------|----------------------|--------------------------------------|------------------------------------|---------------------------|---------------------------|---------------------------|--|---|--------------|--|---|
| .9 | | Other | Unknown | Neuro | Respir | XXX/WIN | | | | | Yes 🗆 | | Yes 🗆 | Yes 🗆 | Yes 🗆 | Yes 🗆 | (ROP) | DA) | | | | te (after d | r meningi | | rome (M. | opamy (r | |
| No [| No | Other causes | own | Neurological | Respiratory failure | n/ | - | PICC 🗆 | UAC 🗆 | | b) | | Possible Cause: - | | Grades (1-4) | | | Non | No 🗆 | No | No | lay 3) | itis (≤da | | AS) | | |
| П | 9 | | | | ure | | No 🗆 | Г | | | Exch | | Cause | | (1-4) | | | | | 20540 | | | ıy 3) | | | I WAI | |
| | | 0 | п | П | | | | CVL | ICT | | inge tr | | | | U | | | Yes 🗆 | Yes 🗆 | Yes 🗆 | Yes 🗆 | | No | No D | No 🗆 | INO | |
| | | Specify: | | Cong | Sepsis | _ and | | | | | Exchange transfusion | | | | Unknown | | | | Pa | Pa | Pa | | | Yes 🗆 | Yes 🗆 | 169 [| |
| | | ify: | | Congenital malformation | S | and hours | | | | | on | | | | n 🗆 | | | | Pathogen: | Pathogen: | Pathogen: | | Yes 🗆 | | | MIIM | |
| | | | | nalfor | | i. | | Ven | Bloc | | | | Maxii | | | | | | p of the | | | | Pat | | | - | |
| Yes 🗆 | Yes 🗆 | | | mation | | | Yes 🗆 | Venous Cut down | Blood Transfusion | | No 🗆 | | Maxim. T. Bilirubin | | | | | | ļ | | Ì | | Pathogen: | | | Moderate - | |
| | | | | 0 | 0 | (24:00 h) | | wn 🗆 | ion 🗆 | | Yes 🗆 | | nmg/dl | | | | | | | | | | | | | Severe 🗆 | |

Contact Help Desk at: dmc@cgynewborn.net Mobile: 010 15 111 38

Appendix (B)



Egyptian Neonatal Network Delivery Room Death Form

Form Number: 03

| | Network ID:// | | | | | | | | | |
|------------------------------|---|---------------------------|--------------------|------------------------|------------|-------|---------|----------|--|--|
| Gestational Age | weeks and | davs (| 0-6) 2. Bi | rth W | eight | g | | | | |
| 3. Length cm | | | | n 27 3 5 5 5 5 5 5 5 5 | ircumferen | (4,0) | - | em | | |
| | Male □ | Fema | | Jnkno | | | | | | |
| 6. Died in Delivery Room | 000000000000000000000000000000000000000 | No □ | Yes [| | | | | | | |
| | | □ Outbo | | | rred from | | | | | |
| 9. Date and time of admis | | | | | | | | | | |
| 9. Date and time of admis | ssion to the | NICU (L | DD/IVIIVI/ 1 1 1 1 | | _''- | | | | | |
| 10. Maternal Hospital ID | | | | | | | | | | |
| 11. Maternal Age: ye | ears | 12. G | ravidity: | | 13. Parity | : | | | | |
| 14. Number of living Child | lren: | | | | | | | | | |
| 15. Prenatal Care | No □ Yes | s 🗆 | | Unk | nown 🗆 | | | | | |
| 16. Antenatal Steroids | No □ Yes | s 🗆 Be | etamethasone | Dexa | methasone | - H | Iydroco | ortisone | | |
| 17. Mode of Delivery | Cesarean Se | ection Vaginal Sponta | | | taneous 🗆 | Vento | se 🗆 | Forceps | | |
| 18. Multiple Birth | No □ Yo | es 🗆 | N° of fetuses | | | Nº Or | der | | | |
| | | | | (= t) | 1 | | | | | |
| 19. Apgar 1min Apg | | | | | | | | | | |
| 20. Delivery Room (or Init | ial) Resusc | itation | | | | | | | | |
| a. Oxygen | | | | | No □ | Yes 🗆 | | nknown □ | | |
| b. Bag/Mask | | | | | No □ | Yes 🗆 | Uı | nknown □ | | |
| c. Endotracheal Intubat | tion | | _ | | No □ | Yes □ | Uı | nknown 🗆 | | |
| d. Medication (Epinephi | rine, NaHCO | 3, Naloxon | ne, Volume Expa | ander) | No □ | Yes □ | Uı | nknown □ | | |
| e. Cardiac compression | 1 | | | | No □ | Yes □ | Uı | nknown □ | | |
| f. Endotracheal mecon | ium suction | | | | No □ | Yes □ | Uı | nknown 🗆 | | |
| 21. Surfactant in the delive | ery room | | | | No □ | Yes □ | Uı | nknown □ | | |
| | Surfa | actant dos | se: h/h : | | mg | | | | | |

Appendix (B)



Egyptian Neonatal Network Delivery Room Death Form

Form Number: 03

| 49. Date of death in days (DD/M) | M/YYYY)/ | _/ | and hours | :(24:00 1 | 1) |
|----------------------------------|---------------------|----|-------------------------|-------------|----|
| | Respiratory failure | | Sepsis | | |
| 50. Cause of death: | Neurological | | Congenital malformation | | |
| 50. Cause of death. | Unknown | | | | |
| | Other causes | | Specify: | | |
| 51. Autopsy performed | No □ | | | Yes □ | |
| 52. Therapeutic efforts limited? | No □ | | | Yes □ | |
| 53. BIRTH DEFECT | No □ | | MENIE BINE | Yes 🗆 | |
| Description | | | CODE | ICD10CM | |
| 1) 2) | | | | | |
| 3) | | | | | |
| 4) 5) | | | | | |
| | | | | | |
| 58. <u>Diagnosis (ICD10):</u> a | | | d | | |
| b | | | • | | |
| с | | | f | | |
| 59. Notes: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Completed = at: / / / by | Dr | F | Electronically ente | red at: / / | 1 |

Appendix (C)



EGYPTIAN NEONATAL NETWORK PATIENT LOG 2010

Center Name

| Transfer To | | | | | |
|--|--|-----|--|----|--|
| Discharge Date (MM/DD/YY) | | | | | |
| 28 Day/Discharge Form Date Sent (MM/DD/YY) | | | | | |
| Admission Date (MM/DD/YY) | | | | | |
| DR Death? (Yes/No) | | | | | |
| Birth Date (MM/DD/YY) | | | | | |
| Network ID Number | | | | | |
| Patient's Name (Arabic) | | | | | |
| Medical Record Number | | 119 | | u. | |

Patient logs include protected health care information . Do not submit to the Egyptian Neonatal Network

Detach this part & send it to EGNN

×

Sent at /



Appendix (C)



EGYPTIAN NEONATAL NETWORK PATIENT LOG 2010 EGNN - Form 1

Center Name

| Transfer To | | | | | |
|--|--|--|--|--|--|
| Discharge Date (MM/DD/YY) | | | | | |
| 28 Day/Discharge Form Date Sent (MM/DD/YY) | | | | | |
| Admission Date (MM/DD/YY) | | | | | |
| DR Death? (Yes/No) | | | | | |
| Birth Date (MM/DD/YY) | | | | | |
| Network ID Number | | | | | |
| Patient's Name (Arabic) | | | | | |
| Medical Record Number | | | | | |



Patient logs include protected health care information for your center's internal use only. Do not submit to the Egyptian Neonatal Network

هذا المستند يظهر إسم الريض لذا يعد من البيانات السرية التي خظر إرسالها الى الشبكة المصرية لطب الأطفال حديثي الولادة

Appendix (D)

EGNN Participating Centers

| Medical Center/Hospital | City | Year of Joining |
|---|--------------------|--------------------|
| 1.Mansoura University Children's Hospital* | Mansoura | 2010 |
| 2.Mansoura Insurance Hospital* | Mansoura | 2010 |
| 3.ALZahraa Hospital* | Cairo | 2010 |
| 4.Tanta University Hospital* | Tanta | 2010 |
| 5.Ain Shams University Children's Hospital* | Cairo | 2010 |
| 6.EL-Shatby Hospital* | Alexandria | 2010 |
| 7.Al-Kods Hospital * | Al-Mahala Al-Kobra | 2010 |
| 8.Elgameyya Elshareyya | Kafr ELSheikh | 2010 |
| 9.ELgameyya ELshareyya | Balteem | 2010 |
| 10.Assad Ibn El-Forat Center* | Etay El-Barood | 2010 |
| 11.Lauran Hospital* | Alexandria | 2010 |
| 12.El Mounira University Children Hospital* | Cairo | 2010 |
| 13.Alexandria Pediatric Center* | Alexandria | 2010 |
| 14.Alexandria New Medical Center* | Alexandria | 2011 |
| 15.Al Hussein University Hospital | Cairo | 2011 |
| 16.Mitghamr General Hospital* | Dakados-Mitghamr | 2011 |
| 17. Mansoura General Hospital | Mansoura | 2011 |
| 18.Dekernes General Hospital | Dekernes | 2011 |
| 19.AL Wadi Pediatrics & Neonatology Center | Mansoura | 2011 |
| 20.Ahmad Maher Teaching Hospital | Cairo | 2011 |
| 21.Talkha General Hospital | Talkha | 2011 |

^{*} Participate in Data Entry

EGNN Partners

EuroNeoNet (ENN)

Egyptian Association of Neonatology (ENA)
Egyptian Society for Neonatal and Preterm Care (ESNPC)

Healthy Newborn Network (HNN)

Appendix (E)

CLASSIFICATION OF OTHER DIAGNOSIS LIST

| Name | ICD 10 |
|---|----------|
| ABO isoimmunization of fetus and newborn | P55.1 |
| Acquired periventricular cysts of newborn | P91.1 |
| Anaemia of prematurity | P61.2 |
| Antepartum fetal asphyxia first noted before onset of labour | P20.0 |
| Asymmetric intrauterine growth restriction [IUGR] | P05.91 |
| Birth injuries to other parts of peripheral nervous system | P14.8 |
| Birth injuries to other parts of skeleton | P13.8 |
| Birth injury to central nervous system, unspecified | P11.9 |
| Birth injury to external genitalia | P15.5 |
| Birth injury to eye | P15.3 |
| Birth injury to face | P15.4 |
| Birth injury to facial nerve | P11.3 |
| Birth injury to femur | P13.2 |
| Birth injury to humerus | P13.30 |
| Birth injury to liver | P15.0 |
| Birth injury to other cranial nerves | P11.4 |
| Birth injury to other long bones | P13.38 |
| Birth injury to peripheral nervous system, unspecified | P14.9 |
| Birth injury to scalp, unspecified | P12.9 |
| Birth injury to skeleton, unspecified | P13.9 |
| Birth injury to spine and spinal cord | P11.5 |
| Birth injury to spleen | P15.1 |
| Birth injury, unspecified | P15.9 |
| Breast engorgement of newborn | P83.4 |
| Bronchopulmonary dysplasia originating in the perinatal period | P27.1 |
| Bruising of scalp due to birth injury | P12.3 |
| Cardiomyopathy | 142 |
| Cardiornyopatry Cardiovascular disorder originating in the perinatal period, unspecified | P29.9 |
| Cephalhaematoma due to birth injury | P12.0 |
| Cerebellar (nontraumatic) and posterior fossa haemorrhage of fetus and | TENNE DE |
| newborn | P52.6 |
| Cerebral haemorrhage due to birth injury | P10.1 |
| Cerebral oedema due to birth injury | P11.0 |
| Chignon due to birth injury | P12.1 |
| Cold injury syndrome | P80.0 |
| Complications of intrauterine procedures, not elsewhere classified | P96.5 |
| Condition of integument specific to fetus and newborn, unspecified | P83.9 |
| Condition originating in the perinatal period, unspecified | P96.9 |
| Congenital anaemia from fetal blood loss | P61.3 |
| Congenital cirrhosis (of liver) | P78.80 |
| Congenital cytomegalovirus infection | P35.1 |
| Congenital falciparum malaria | P37.3 |
| Congenital herpesviral [herpes simplex] infection | P35.2 |
| Congenital hydrocele | P83.5 |
| Congenital hypertonia | P94.1 |
| Congenital hypotonia | P94.1 |
| Congenital hypotonia Congenital infectious and parasitic disease, unspecified | P37.9 |
| Congenital infectious and parastite disease, unspecified Congenital pneumonia due to Chlamydia | P37.9 |
| | |
| Congenital pneumonia due to Escherichia coli | P23.4 |
| Congenital pneumonia due to other bacterial agents | P23.6 |

| Congenital pneumonia due to other organisms | P23.8 |
|--|--------|
| Congenital pneumonia due to Pseudomonas | P23.5 |
| Congenital pneumonia due to staphylococcus | P23.2 |
| Congenital pneumonia due to streptococcus, group B | P23.3 |
| Congenital pneumonia due to viral agent | P23.0 |
| Congenital pneumonia, unspecified | P23.9 |
| Congenital renal failure | P96.0 |
| Congenital rubella syndrome | P35.0 |
| Congenital toxoplasmosis | P37.1 |
| Congenital tuberculosis | P37.0 |
| Congenital viral disease, unspecified | P35.9 |
| Congenital viral disease, drispectified Congenital viral hepatitis | P35.3 |
| Cyanotic attacks of newborn | P28.2 |
| Dehydration of newborn | P74.1 |
| | P13.01 |
| Depressed skull fracture due to birth injury | |
| Disorder of muscle tone of newborn, unspecified | P94.9 |
| Disseminated intravascular coagulation of fetus and newborn | P60 |
| Disturbance of temperature regulation of newborn, unspecified | P81.9 |
| Embolism and thrombosis of unspecified artery | 174.9 |
| Embolism and thrombosis of unspecified vein | 182.9 |
| Embolism and thrombosis of abdominal aorta | 174.0 |
| Embolism and thrombosis of vena cava | 182.2 |
| Embolism and thrombosis of renal vein | 182.3 |
| Embolism and thrombosis of arteries of upper extremities | 174.2 |
| Embolism and thrombosis of arteries of lower extremities | 174.3 |
| Environmental hyperthermia of newborn | P81.0 |
| Epicranial subaponeurotic haemorrhage due to birth injury | P12.2 |
| Erb's paralysis due to birth injury | P14.0 |
| Extreme immaturity | P07.2 |
| Feeding problem of newborn, unspecified | P92.9 |
| Fetal asphyxia, unspecified when first noted | P20.9 |
| Fetal blood loss from cut end of co-twin's cord | P50.5 |
| Fetal blood loss from placenta | P50.2 |
| Fetal blood loss from ruptured cord | P50.1 |
| Fetal blood loss from vasa praevia | P50.0 |
| Fetal blood loss, unspecified | P50.9 |
| Fetal death of unspecified cause | P95 |
| Fetal malnutrition without mention of light or small for gestational age | P05.2 |
| Fracture of clavicle due to birth injury | P13.4 |
| Gastroesophageal reflux disease | K21 |
| Haemolytic disease of fetus and newborn, unspecified | P55.9 |
| Haemorrhage into co-twin | P50.3 |
| Haemorrhage into maternal circulation | P50.4 |
| Haemorrhagic disease of fetus and newborn | P53 |
| Hydrops fetalis due to isoimmunization | P56.0 |
| Hydrops fetalis due to other and unspecified haemolytic disease | P56.9 |
| Hydrops fetalis due to other and unspecified flaemolytic disease | P83.2 |
| Hyperkalaemia of newborn | P74.31 |
| Hypernatraemia of newborn | P74.21 |
| Hypokalaemia of newborn | P74.21 |
| Hyponatraemia of newborn | P74.30 |
| Hypothermia of newborn, unspecified | P80.9 |
| rrypothermia of newborn, unspecified | F0U.9 |

| latrogenic neonatal hypoglycaemia | P70.3 |
|---|----------------|
| Infection specific to the perinatal period, unspecified | P39.9 |
| Inspissated bile syndrome | P59.1 |
| Intestinal obstruction due to inspissated milk | P76.2 |
| Intestinal obstruction of newborn, unspecified | P76.9 |
| Intra-amniotic infection of fetus, not elsewhere classified | P39.2 |
| Intracerebral (nontraumatic) haemorrhage of fetus and newborn | P52.4 |
| Intracranial (nontraumatic) haemorrhage of fetus and newborn, unspecified | P52.9 |
| Intrapartum fetal asphyxia first noted during labour and delivery | P20.1 |
| Intraventricular haemorrhage due to birth injury | P10.2 |
| Kernicterus due to isoimmunization | P57.0 |
| Kernicterus, unspecified | P57.9 |
| Klumpke's paralysis due to birth injury | P14.1 |
| Late metabolic acidosis of newborn | P74.0 |
| Linear skull fracture due to birth injury | P13.00 |
| Meconium ileus | P75 |
| Meconium plug syndrome | P76.0 |
| Monitoring injury of scalp of newborn | P12.4 |
| Neonatal (disseminated) listeriosis | P37.2 |
| Neonatal adrenal haemorrhage | P54.4 |
| Neonatal aspiration of amniotic fluid and mucus | P24.1 |
| Neonatal aspiration of blood | P24.2 |
| Neonatal aspiration of meconium | P24.0 |
| Neonatal aspiration of milk and regurgitated food | P24.3 |
| Neonatal aspiration syndrome, unspecified | P24.9 |
| Neonatal candidiasis | P37.5 |
| Neonatal cardiac dysrhythmia | P29.1 |
| Neonatal cardiac failure | P29.0 |
| Neonatal cerebral depression | P91.4 |
| Neonatal cerebral irritability | P91.3 |
| Neonatal cerebral ischaemia | P91.0 |
| Neonatal cerebral leukomalacia | P91.2 |
| Neonatal coma | P91.5 |
| Neonatal conjunctivitis and dacryocystitis | P39.1 |
| Neonatal cutaneous haemorrhage | P54.5 |
| Neonatal diabetes mellitus | P70.2 |
| Neonatal difficulty in feeding at breast | P92.5 |
| Neonatal erythema toxicum | P83.1 |
| Neonatal goitre, not elsewhere classified | P72.0 |
| Neonatal haematemesis | P54.0 |
| Neonatal haematemesis and melaena due to swallowed maternal blood | P78.2 |
| Neonatal haemorrhage, unspecified | P54.9 |
| Neonatal hypertension | P29.2 |
| Neonatal hypomagnesaemia | P71.2 |
| Neonatal infective mastitis | P39.0 |
| Neonatal jaundice from breast milk inhibitor | P59.3 |
| Neonatal jaundice from other and unspecified hepatocellular damage | P59.2 |
| Neonatal jaundice from other specified causes | P59.8 |
| Neonatal jaundice, unspecified | P59.9 |
| | P54.1 |
| Neonatal melaena | |
| Neonatal melaena Neonatal rectal haemorrhage | |
| Neonatal melaena Neonatal rectal haemorrhage Neonatal skin infection | P54.2 P39.4 |

| Neonatal urinary tract infection | P39.3 |
|--|--------|
| Neonatal vaginal haemorrhage | P54.6 |
| Neonatal withdrawal symptoms from maternal use of drugs of addiction | P96.1 |
| Newborn asphyxia, unspecified | P21.9 |
| Noninfective neonatal diarrhoea | P78.3 |
| Omphalitis of newborn with or without mild haemorrhage | P38 |
| Other and unspecified atelectasis of newborn | P28.1 |
| Other and unspecified oedema specific to fetus and newborn | P83.3 |
| Other apnoea of newborn | P28.4 |
| Other birth injuries to scalp | P12.8 |
| Other birth injuries to skull | P13.1 |
| Other brachial plexus birth injuries | P14.3 |
| Other cardiovascular disorders originating in the perinatal period | P29.8 |
| Other chronic respiratory diseases originating in the perinatal period | P27.8 |
| Other conditions related to interstitial emphysema originating in the perinatal period | P25.8 |
| Other congenital anaemias, not elsewhere classified | P61.4 |
| Other congenital malaria | P37.4 |
| Other congenital viral diseases | P35.8 |
| Other disorders of muscle tone of newborn | P94.8 |
| Other feeding problems of newborn | P92.8 |
| Other fetal blood loss | P50.8 |
| Other haemolytic diseases of fetus and newborn | P55.8 |
| Other hypothermia of newborn | P80.8 |
| Other intracranial (nontraumatic) haemorrhages of fetus and newborn | P52.8 |
| Other intracranial lacerations and haemorrhages due to birth injury | P10.8 |
| Other neonatal aspiration syndromes | P24.8 |
| Other neonatal gastrointestinal haemorrhage | P54.3 |
| Other neonatal hypocalcaemia | P71.1 |
| Other neonatal hypoglycaemia | P70.4 |
| Other neonatal peritonitis | P78.1 |
| Other pulmonary haemorrhages originating in the perinatal period | P26.8 |
| Other respiratory distress of newborn | P22.8 |
| Other specified birth injuries | P15.8 |
| Other specified brain damage due to birth injury | P11.1 |
| Other specified conditions of integument specific to fetus and newborn | P83.8 |
| Other specified conditions originating in the perinatal period | P96.8 |
| Other specified congenital infectious and parasitic diseases | P37.8 |
| Other specified disturbances of temperature regulation of newborn | P81.8 |
| Other specified infections specific to the perinatal period | P39.8 |
| Other specified intestinal obstruction of newborn | P76.8 |
| Other specified kernicterus | P57.8 |
| Other specified neonatal haemorrhages | P54.8 |
| Other specified perinatal digestive system disorders | P78.88 |
| Other specified perinatal haematological disorders | P61.8 |
| Other specified respiratory conditions of newborn | P28.8 |
| Other specified transitory neonatal endocrine disorders | P72.8 |
| Other transient neonatal disorders of coagulation | P61.6 |
| Other transitory disorders of carbohydrate metabolism of fetus and newborn | P70.8 |
| Other transitory electrolyte disturbances of newborn | P74.4 |
| Other transitory metabolic disturbances of newborn | P74.8 |
| Other transitory neonatal disorders of calcium and magnesium metabolism | P71.8 |
| Other transitory neonatal disorders of thyroid function, not elsewhere classified | P72.2 |

| Other/multiple skull fracture due to birth injury | P13.08 |
|--|----------------|
| Overfeeding of newborn | P92.4 |
| Paralysis of vocal cords and larynx | J38.0 |
| Perinatal digestive system disorder, unspecified | P78.9 |
| Perinatal haematological disorder, unspecified | P61.9 |
| Perinatal intestinal perforation | P78.0 |
| Persistent fetal circulation | P29.3 |
| Persistent pulmonary hypertension | P99.9 |
| Phrenic nerve paralysis due to birth injury | P14.2 |
| Pneumomediastinum originating in the perinatal period | P25.2 |
| Pneumopericardium originating in the perinatal period | P25.3 |
| Polycythaemia neonatorum | P61.1 |
| Portal vein thrombosis | 181 |
| Primary atelectasis of newborn | P28.0 |
| Primary sleep apnoea of newborn | P28.3 |
| Pulmonary edema | J81 |
| Pulmonary Interstitial emphysema originating in the perinatal period | P25.0 |
| Reactions and intoxications due to drugs administered to fetus and newborn | P93 |
| Regurgitation and rumination in newborn | P92.1 |
| Respiratory condition of newborn, unspecified | P28.9 |
| Respiratory distress of newborn, unspecified | P20.9 |
| Respiratory distress of newborn, unspecified Respiratory failure of newborn | P28.5 |
| Rh isoimmunization of fetus and newborn | P55.0 |
| Sclerema neonatorum | P83.0 |
| White is not a second of the s | P92.2 |
| Slow feeding of newborn | CH WASSINGWED |
| Sternomastoid injury due to birth injury | P15.2 P52.5 |
| Subarachnoid (nontraumatic) haemorrhage of fetus and newborn | |
| Subarachnoid haemorrhage due to birth injury | P10.3 |
| Subcutaneous fat necrosis due to birth injury | P15.6 |
| Subdural haemorrhage due to birth injury | P10.0 |
| Symmetric intrauterine growth restriction [IUGR] | P05.90 |
| Syndrome of infant of a diabetic mother | P70.1 |
| Syndrome of infant of mother with gestational diabetes | P70.0 |
| Tentorial tear due to birth injury | P10.4 |
| Tracheobronchial haemorrhage originating in the perinatal period | P26.0 |
| Transient myocardial ischaemia of newborn | P29.4 |
| Transient neonatal myasthenia gravis | P94.0 |
| Transient neonatal neutropenia | P61.5 |
| Transient neonatal thrombocytopenia | P61.0 |
| Transient tachypnoea of newborn | P22.1 |
| Transitory disorder of carbohydrate metabolism of fetus and newborn, unspecified | P70.9 |
| Transitory ileus of newborn | P76.1 |
| Transitory metabolic disturbance of newborn, unspecified | P74.9 |
| Transitory neonatal disorder of calcium and magnesium metabolism, unspecified | P71.9 |
| Transitory neonatal endocrine disorder, unspecified | P72.9 |
| Transitory neonatal hyperthyroidism | P72.1 |
| Transitory neonatal hypoparathyroidism | P71.4 |
| Transitory tyrosinaemia of newborn | P74.5 |
| Umbilical polyp of newborn | P83.6 |
| | |

| Unspecified brain damage due to birth injury | P11.2 |
|---|--------|
| Unspecified chronic respiratory disease originating in the perinatal period | P27.9 |
| Unspecified disturbance of potassium balance of newborn | P74.39 |
| Unspecified disturbance of sodium balance of newborn | P74.29 |
| Unspecified intracranial laceration and haemorrhage due to birth injury | P10.9 |
| Unspecified intrauterine growth restriction [IUGR] | P05.99 |
| Unspecified skull fracture due to birth injury | P13.09 |
| Vomiting in newborn | P92.0 |
| Wilson-Mikity syndrome | P27.0 |
| Withdrawal symptoms from therapeutic use of drugs in newborn | P96.2 |

CLASSIFICATION OF CONGENITAL ANOMALIES

| System | Name | ICD10 | Comments |
|--|--|-------|--|
| Cardiac Chambers And Circulation | Atrial Septal Defect | Q21.1 | |
| Cardiac Chambers And Circulation | Atrioventricular Septal Defect | Q21.2 | |
| Cardiac Chambers And Circulation | Coarctation Of The Aorta | Q25.1 | |
| Cardiac Chambers And Circulation | Congenital Absence And Hypoplasia Of The Umbilical Artery (Single Umbilical Artery) | Q27.0 | |
| Cardiac Chambers And Circulation | Congenital Heart Block | Q24.6 | |
| Cardiac Chambers And Circulation | Double Outlet Right Ventricle | Q20.1 | |
| Cardiac Chambers And Circulation | Hypoplastic Left Heart Syndrome | Q23.4 | |
| Cardiac Chambers And Circulation | Other Congenital Malformations Of The Circulatory System | Q28 | |
| Cardiac Chambers And Circulation | Other Congenital Malformations Of The Heart | Q24 | This includes dextrocardia, cor triatrium, pulmonary infundibular stenosis, subaortic stenosis |
| Cardiac Chambers And Circulation | Pulmonary Valve Stenosis | Q22.1 | |
| Cardiac Chambers And Circulation | Tetralogy Of Fallot | Q21.3 | |
| Cardiac Chambers And Circulation | Total Anomalous Pulmonary Venous Connection | Q26.2 | |
| Cardiac Chambers And Circulation | Transposition Of The Great Vessels (Tgv) | Q20.3 | |
| Cardiac Chambers And Circulation | Ventricular Septal Defect | Q21 | |
| Chromosomal Abnormalities | Balanced Rearrangements And Structural Markers Not Elsewhere Classified | Q95 | |
| Chromosomal Abnormalities | Down's Syndrome | Q90 | |
| Chromosomal Abnormalities | Edwards' Syndrome Or Trisomy 18 | Q91.3 | |
| Chromosomal Abnormalities | Monosomies And Deletions From The Autosomes Not Elsewhereclassified | Q93 | |
| Chromosomal Abnormalities | Other Sex Chromosome Abnormalities, Female Phenotype Not Elsewhere Classified | Q97 | |

| Chromosomal Abnormalities | Other Trisomies And Parial Trisomies Of The Autosomes Not Elsewhere Classified | Q92 | |
|------------------------------|--|-------|---|
| Chromosomal Abnormalities | Patau Syndrome Or Trisomy 13 | Q91.7 | |
| Chromosomal Abnormalities | Turner'S Syndrome | Q96 | |
| Digestive | Atresia Of Oesophagus With Tracheo- Oesophageal Fistula | Q39.1 | |
| Digestive | Atresia Of Oesophagus Without Fistula | Q39.0 | |
| Digestive | Atresis Of The Bile Ducts | Q44.2 | |
| Digestive | Congenital Absence, Atresia And Stenosis Of The Anus Without Fistula (Imperforate Anus) | Q42.3 | |
| Digestive | Congenital Absence, Atresia And Stenosis Of The Duodenum | Q41.0 | |
| Digestive | Congenital Absence, Atresia And Stenosis Of The Jejunum | Q41.1 | |
| Digestive | Congenital Absence, Atresia And Stenosis Of The Small Intestine | Q41 | |
| Digestive | Congenital Hypertrophic Pyloric Stenosis | Q40.0 | |
| Digestive | Congenital Malformations Of The Esophagus | Q39 | |
| Digestive | Congenital Malformations Of The Gallbladder, Bile Ducts And Liver | Q44 | |
| Digestive | Congenital Malformations Of The Tongue, Mouth, Pharynx | Q38 | |
| Digestive | Other Congenital Malformations Of The Digestive System | Q45 | |
| Digestive | Other Congenital Malformations Of The Intestine | Q43 | This includes meckel's diverticulum, Hirschprung's disease, ECTOPIC ANUS, COLACAL ANOMALY |
| Ear | Congenital Malformations Of The Ear Causing Impairment Of Hearing | Q16 | This includes anomalies of auditory canal, eustachian tube, ossicles |
| Ear | Other Congenital Malformations Of The Ear | Q17 | This includes small ear, large ear, misplaced ear, accessory auricle |
| Eye | Anophthalomos, Microphthalmos And Macrophthalmos | Q11 | |
| Eye | Congenital Lens Malformations | Q12 | This included congenital cataract, lens abnormalities |
| Eye | Congenital Malformations Of Eyelid,Lacrimal Apparatus And Orbit | Q10 | |
| Eye | Congenital Malformations Of The Anterior Segment Of The Eye | Q13 | This includes abnormalities of iris, cornea |

| Eye | Congenital Malformations Of The Posterior Segment Of The Eye | Q14 | This includes abnormalities of vitreous, retina, optic disc, chroid |
|-----------------|---|-------|---|
| Eye | Other Congenital Malformations Of The Eye | Q15 | |
| Face And Neck | Congenital Anomalies Of Neck Region | Q18 | This includes sinus, cycst, fistula, webbing of neck region |
| Genital | Congenital Malformations Of Ovaries, Fallopian Tubes And Broad Ligiaments | Q50 | |
| Genital | Congenital Malformations Of The Uterus And Cervix | Q51 | |
| Genital | Hypospadias | Q54.0 | |
| Genital | Indeterminate Sex And Pseudohermaphroditism | Q56 | |
| Genital | Other Congenital Malformations Of The Female Genitals | Q52 | |
| Genital | Other Congenital Malformations Of The Male Organs | Q55 | |
| Genital | Undescended Testicle, Bilateral | Q53.2 | |
| Genital | Undescended Testicle, Unilateral | Q53.1 | |
| Musculoskeletal | Congenital Deformities Of The Feet | Q66 | This includes talipes, varus and valgus deformities |
| Musculoskeletal | Congenital Deformities Of The Hip | Q65 | |
| Musculoskeletal | Congenital Diaphragmatic Hernia | Q79.0 | |
| Musculoskeletal | Congenital Malformations Of The Musculoskeletal System, Not Elsewhere Classified | Q79 | |
| Musculoskeletal | Congenital Malformations Of The Spine And Bony Thorax | Q76 | |
| Musculoskeletal | Congenital Musculoskeletal Deformities Of Arm, Leg, Long Bones | Q68 | |
| Musculoskeletal | Congenital Musculoskeletal Deformities Of Head, Face, Spine And Chest | Q67 | |
| Musculoskeletal | Craniosynostosis | Q75.0 | |
| Musculoskeletal | Exomphalos | Q79.2 | |
| Musculoskeletal | Gastroschisis | Q79.3 | |
| Musculoskeletal | Other Congenital Malformations Of Limbs (Shoulder Girdle, Knee, Arthrogryposis) | Q74 | |
| Musculoskeletal | Other Congenital Malformations Of The Skull And Face Bones | Q75 | |
| Musculoskeletal | Polydactyly | Q69 | |
| Musculoskeletal | Reduction Defects Of The Lower Limb | Q72 | |

| Musculoskeletal | Reduction Defects Of The Upper Limb | Q71 | |
|--------------------------------------|--|-------|--|
| Musculoskeletal | Reduction Defects Of Unspecified Limb | Q73 | |
| Musculoskeletal | Syndactyly | Q70 | |
| Nervous | Anencephaly | Q00 | |
| Nervous | Congenital Hydrocephalus | Q03 | |
| Nervous | Encephalocele | Q01 | |
| Nervous | Microcephaly | Q02 | |
| Nervous | Other Congenital Malformations Of The Brain | Q04 | This includes malformation of corpus callosum, holoprosencephaly, reduction anomaly of brain, cerebellar anomaly |
| Nervous | Other Congenital Malformations Of The Nervous System | Q07 | This includes any other malformations of central nervous sytem not mentioned above |
| Nervous | Spina Bifida | Q05 | |
| Nervous | Spinal Cord Anomaly Other Than Spina Bifida | Q06 | |
| Other Congenital Malformations | Congenital Ichthyosis | Q80 | |
| Other Congenital Malformations | Congenital Malformations Of The Breast | Q83 | |
| Other Congenital Malformations | Congenital Malformations Syndromes Due To Known Exogenous Causes Not Elsewhere Classified | Q86 | This includes fetal alcohol syndrome, fetal hydantoin |
| Other Congenital Malformations | Epidermolysis Bullosa | Q81 | |
| Other Congenital Malformations | Fetal Alcohol Syndrome (Dysmorphic) | Q86.0 | |
| Other Congenital Malformations | Neurocutaneous Syndromes | Q85 | This includes neurofibromatosis, tuberous sclerosis) |
| Other Congenital Malformations | Other Congenital Malformations Of Skin Appendages Such As Nail, Hair | Q84 | This includes hair and nail abnormalities |
| Other Congenital Malformations | Other Congenital Malformations Of The Skin | Q82 | This includes incontinentia pigmenti, mastocytosis, xeroderma, heriditary lymphoedema) |
| Other Congenital Malformations | Other Congenital Malformations, Not Elsewhere Classified | Q89 | This includes malformations of spleen, adrenal, endocrine glands, conjoint twins |
| Other Congenital Malformations | Other Specified Congenital Malformation Syndromes Affecting Multiple Systems | Q87 | |
| Other Congenital Malformations | Situs Inversus | Q89.3 | |
| Respiratory | Cleft Lip | Q36 | |
| Respiratory | Cleft Palate | Q35 | |
| Respiratory | Cleft Palate With Lip | Q37 | |
| Respiratory | Congenital Cystic Lung | Q33.0 | |
| Respiratory | Congenital Malformations Of The Larynx | Q31 | |

| Respiratory | Congenital Malformations Of The Lung | Q33 | This includes agenesis, ectopic, hypoplastic and dysplastic lung |
|-------------|--|-------|---|
| Respiratory | Congenital Malformations Of The Nose | Q30 | |
| Respiratory | Congenital Malformations Of The Trachea And Bronchus | Q32 | |
| Respiratory | Sequestration of The Lung | Q33.2 | |
| Urinary | Congenital Hydronephrosis | Q62.0 | |
| Urinary | Congenital Posterior Urethral Valves | Q64.2 | |
| Urinary | Congenital Renal Cystic Diseases | Q61 | |
| Urinary | Other Congenital Malformations Of The Urinary System | Q64 | This includes epispadias, exstrophy of bladder, stricture of meatus |
| Urinary | Renal Agenesis And Other Defects Of The Kidney | Q60 | This includes renal agenesis, hypoplasia, Potter's syndrome |



Egyptian Neonatal Network for Training Pediatricians



Egyptian Neonatal Network (EGNN)

Contact Information

EGNN Director

Mohamed Reda Bassiouny, MD, MHPE
Professor of Pediatrics/Neonatology – Mansoura University
Email: basionmr@egynewborn.net

Director of Data Management Center

Amr El Shahed, MD, DHPE
Lecturer of Pediatrics – Mansoura University
Consultant Neonatologist
Email: dmc@egynewborn.net

Database Programmer

Eng. Ahmed El- Mogy Phone: (+20) 010 1694144 Email: ahmougi@mans.edu.eg

EGNN Address

PO Box 35, Post Code 35516, Mansoura University, Mansoura, Egypt

EGNN Phone: (+20) 010 1511138

EGNN Fax: (+20) 050 2244470

EGNN Home Page

www.egynewborn.net



Egyptian Neonatal Network for Training Pediatricians



ينام المحدية لطب الأطفال حديثة المولادة.



''دليـل مستخدمي الشبكة'' ۲۰۱۰